

INDIAN ASSOCIATION OF PHYSICS TEACHERS
NATIONAL STANDARD EXAMINATION IN JUNIOR SCIENCE 2014 -15

Date of Examination: 23rd November, 2014

Time: 1500 to 1700 Hrs

Q. Paper Code: JS 530

Write the question paper code mentioned above on YOUR answer sheet (in the space provided), otherwise your answer sheet will NOT be assessed. Note that the same Q. P. Code appears on each page of the question paper.

Instructions to Candidates –

1. Use of mobile phones, smartphones, ipads during examination is **STRICTLY PROHIBITED**.
2. In addition to this question paper, you are given answer sheet along with Candidate's copy.
3. On the answer sheet, make all the entries carefully in the space provided **ONLY** in **BLOCK CAPITALS** as well as by properly darkening the appropriate bubbles. **Incomplete/ incorrect/carelessly filled information may disqualify your candidature.**
4. On the answer sheet, use only **BLUE or BLACK BALL POINT PEN** for making entries and filling the bubbles.
5. Question paper has 80 multiple choice questions. Each question has four alternatives, out of which **only one** is correct. Choose the correct alternative and fill the appropriate bubble, as shown.

Q. No. 22 a b c d


6. A correct answer carries 3 marks whereas 1 mark will be deducted for each wrong answer.
7. Any rough work should be done only in the space provided.
8. Use of **non-programmable** calculator is allowed.
9. No candidate should leave the examination hall before the completion of the examination.
10. After submitting your answer paper, take away the Candidate's copy for your reference.

Please **DO NOT** make any mark other than filling the appropriate bubbles properly in the space provided on the answer sheet.

Answer sheets are evaluated using machine, hence **CHANGE OF ENTRY IS NOT ALLOWED**.

Scratching or overwriting may result in a wrong score.

DO NOT WRITE ON THE BACK SIDE OF THE ANSWER SHEET.



JS 530

Instructions to Candidates (continued) –

Read the following instructions after submitting the answer sheet.

11. Comments regarding this question paper, if any, may be sent by email only to iaptpune@gmail.com till 25th November, 2014.
12. The answers/solutions to this question paper will be available on our website – www.iapt.org.in by 3rd December, 2014.
13. **CERTIFICATES and AWARDS –**
Following certificates are awarded by the IAPT to students successful in NSEs
 - (i) Certificates to “Centre Top 10%” students
 - (ii) Merit Certificates to “Statewise Top 1%” students
 - (iii) Merit Certificates and a book prize to “National Top 1%” students
14. Result sheets and the “Centre Top 10%” certificates will be dispatched to the Prof-in-charge of the centre by January, 2015.
15. List of students (with centre number and roll number only) having score above MAS will be displayed on our website (www.iapt.org.in) by 22nd December, 2014. See the **Eligibility Clause** in the Student’s brochure on our website.
16. Students eligible for the INO Examination on the basis of selection criteria mentioned in Student’s brochure will be informed accordingly.

Indian Association of Physics Teachers

NATIONAL STANDARD EXAMINATION IN JUNIOR SCIENCE 2014-2015

Total time: 120 minutes


Marks: 240

Only one out of four options is correct

- 1) Three identical vessels carrying equal amount of water are placed in three lifts. Lift **A** is accelerating upwards, lift **B** is accelerating downwards while lift **C** is moving up with constant velocity. The pressure at a depth h from free surface in the three vessel is measured as p_A , p_B and p_C then which of the following is true
- a) $p_A = p_C > p_B$ b) $p_A > p_C > p_B$ c) $p_A > p_C = p_B$ d) $p_A = p_C = p_B$

- 2) In the reaction,
- $$2KClO_3 \rightarrow 2KCl + 3O_2$$
- What is the volume of oxygen released under NTP conditions when 36.75g of $KClO_3$ is heated?
- a) 3.6 litres b) 7.2 litres c) 10 litres d) 1.8 litres

- 3) Figure shows a square grid of order 3, which of the following is correct formula for the total number of squares in a similar grid of order n .
- (a) _____ b) _____ c) _____ d) _____



- 4) If the distance between genes - W, X, Y, and Z on a chromosome are as follows: from W-Y is 18 units, W-X is 26 units, W-Z is 40 units, X-Y is 8 units and X-Z is 14 units, the sequence of W, X, Y, Z genes on the chromosome would be:
- a) W, X, Y, Z. b) X, Y, W, Z. c) Y, W, X, Z. d) W, Y, X, Z.

- 5) In a plant, 30 megaspore mother cells are generated. If all the ovules are fertilised, how many seeds are expected to be formed?

a) 30 b) 60 c) 90 d) 120

- 6) A water filter advertisement claims to provide 8 litres of water per hour. How much time does it take to fill four bottles of 1.5 litres each?

a) 2 hr b) 1 hr c) 45 min d) 30 min

- 7) Which among the following salts will not change the pH of water on addition

a) Sodium chloride b) Sodium cyanide
c) Sodium bicarbonate d) Sodium carbonate


- 8) A particle starting from rest is moving with uniform acceleration in a straight line. The percentage increase of the displacement of the particle in 9^{th} second compared to that in the immediate previous second is about

a) 8.3% b) 13.3% c) 20.6% d) 24.5%

JS 530

- a) (i) is (p); (ii) is (q) and (iii) is (r)
 b) (i) is (q); (ii) is (r) and (iii) is (p)
 c) (i) is (r); (ii) is (r) and (iii) is (p)
 d) (i) is (q); (ii) is (p) and (iii) is (r)

17) A rectangular parallelepiped with sides a , b and c in the ratio 3:2:1 is kept on a uniformly rough horizontal surface as shown in the figures below. The value of limiting friction is



- a) Minimum in (i) b) Minimum in (ii) c) Minimum in (iii) d) Same in all cases

18) Which of the following has the maximum number of unpaired electrons?

- a) Ti^{3+} b) V^{3+} c) Fe^{3+} d) Fe^{2+}

19) The houses of a row are numbered consecutively from 1 to 49. Find the value of x such that the sum of the numbers of houses preceding the house numbered x is equal to the sum of the numbers of the houses following it.

- a) 25 b) 37 c) 35 d) No such value exists

20) Urea is the principle excretory waste in larval as well as adult phases of:

- a) Cockroach b) Frog c) Crab d) Starfish

21) Use of excessive NKP fertilizers has resulted in:

- i. Reduction in number as well as species of nitrogen fixing bacteria
 ii. Increase in number as well as types of denitrifying bacteria
 iii. Increase in the proportion of coarse particles in soil.
 iv. Increase in number as well as types of ammonifying microbes
 v. Increase in number as well as types of nitrifying bacteria

- a) i, ii, iii, iv and v b) only ii, iv and v
 c) only i and ii d) only i, ii and iii


22) Along a road lie an odd number of stones placed at intervals of 10 metre. These stones have to be assembled around the middle stone. A person can carry only one stone at a time. If a man starts from one of the end stones, and by carrying them in succession he covers 3 km to pile all stones at the centre. The number of stones is then

- a) 12 b) 15 c) 25 d) 30

JS 530

- 23) The following variation of properties is generally seen in the periodic table.
- Atomic radius and ionization energy both increase across a period.
 - Atomic radius increases and ionization energy decreases across a period.
 - Atomic radius decreases and ionization energy increases across a period.
 - Atomic radius and ionization energy both decreases across a period.
- 24) The erythrocytes separated from human blood were mixed with certain fluids on a slide and observed under the microscope. Which of the following will be the expected result?
- With distilled water the cells swell and eventually burst.
 - With serum the cells clump and coagulate.
 - With sea water the cells undergo no apparent change.
 - With tap water cells shrink and appear cremated.
- 25) The largest of the jelly-fishes grow over 1 meter in diameter and can survive without any skeletal support due to:
- rapid beating of cilia creating an upthrust.
 - the bottom dwelling habit.
 - high salinity and subsequent buoyancy of sea water.
 - upwelling currents in water.

- 26) The diagram shows a road network. All vehicles drive in one direction from A to B. Numbers represent the maximum flow rate (capacity of roads) in vehicles per hour. The maximum number of vehicles that can drive through the network every hour is



- 315
- 215
- 240
- 340

- 27) An excess of NaOH solution is added gradually to an aqueous solution of ZnSO₄. Which of the following will happen?
- A white precipitate is formed which does not dissolve in excess NaOH.
 - A green precipitate is formed which dissolves in excess NaOH.
 - A white precipitate is formed which dissolves in excess NaOH.
 - No observable change occurs.
- 28) If two bodies of different masses, initially at rest, are acted upon by the same force for the same time, then both bodies acquire the same
- Velocity
 - momentum
 - acceleration
 - kinetic energy
- 29) It is more difficult to walk on a sandy road than on a concrete road. The most appropriate reason for this is
- sand is soft and concrete is hard
 - the friction between sand and feet is less than that between concrete and feet
 - the friction between sand and feet is more than that between concrete and feet
 - the sand is grainy but concrete is solid

JS 530

- 30) In which of the following series of transition metal ions, all metal ions have $3d^2$ electronic configuration?
 a) $Ti^+, V^{4+}, Cr^{6+}, Mn^{7+}$ b) $Ti^{2+}, V^{3+}, Cr^{4+}, Mn^{5+}$ c) $Ti^{3+}, V^{2+}, Cr^{3+}, Mn^{4+}$ d) $Ti^{4+}, V^{3+}, Cr^{2+}, Mn^{3+}$
- 31) A piece of wire 60 cm long is cut into two parts, one of them being 24 cm long. Each part is then bent to form a square. The ratio of the area of the larger square to the smaller square is
 a) $11/3$ b) $7/4$ c) $3/2$ d) $9/4$
- 32) In the cells of oil seeds which of the cell organelles have to be more active?
 a) Mitochondria. b) Smooth Endoplasmic Reticulum.
 c) Rough Endoplasmic Reticulum. d) Nucleoli.
- 33) Which of the following sugars tastes most sweet?

- a) Fructose. b) Ribose. c) Sucrose. d) Lactose.

- 34) Scientists in an R & D company made three design improvements on a car: the first saves 50% of fuel, the second saves 30% of fuel and the third saves 20%. If the company implements all three design changes at once, the new car will consume fuel that is ____ % of the fuel consumption of normal car.

- a) 50% b) 28% c) 100% d) 20%

- 35) Aluminum is extracted from its oxide by


- a) Calcination b) Reduction
 c) Thermal decomposition d) Electrolysis

- 36) The magnetic force on a moving charged particle can change the particle's

- a) speed only b) direction only
 c) Both speed and direction d) neither of speed nor direction

- 37) A ray of light is incident on system of mirror as shown in the adjacent figure. What is the total deflection () of the ray when it emerges out after two reflections?

- a) 220° b) 180° c) 140° d) 120°




- 38) The oxidation number of sulphur in sodium thiosulphate ($Na_2S_2O_3$) is

- a) +1 b) +2 c) +3 d) +4


- 39) The adjacent figure is a modification of the Switzerland flag to suit the problem! Five identical small squares form the central cross. The length of each side of the big square is 10 m. If the area of the white cross is 20% of the area of the square flag, then the length of the side of the small square is

- a) 1.75 m b) 2.25 m c) 1.6 m d) 2 m



JS 530

- 40) The algae belonging to which group can sustain normal growth at the greater depth of ocean?
- a) Green algae. b) Blue-green algae. c) Brown algae. d) Red algae.
- 41) Snakes, the cold blooded animals, flick their bifid tongue often to:
- a) sample air for chemoreceptors. b) sense vibrations in earth.
c) sense the nature of substratum. d) sense the temperature of air.
- 42) We all know that the sky appears to touch the ground at a distance. The distance at which we perceive the sky to touch the ground is called horizon. The reason for the perception is due to the fact that the Earth is a sphere (almost) and not a flat surface. Which of these pictures below accurately depict the horizon for a person standing on a high rise building like Burj Khalifa in Dubai? (Here, 'h' represents the height of the building while line 'H' represents the horizon)




- 43) Sulphuric acid is manufactured by the contact process in which sulphur dioxide reacts with oxygen in presence of a catalyst. If 5.6 moles of SO_2 reacts with 4.8 moles of O_2 and a large excess of water, the maximum number of moles of H_2SO_4 that can be obtained is.
- a) 5.6 b) 11.2 c) 4.8 d) 1.4
- 44) The element essential for determining the three dimensional structure of proteins is:
- a) carbon. b) hydrogen. c) nitrogen. d) sulphur.
- 45) The general indigestion experienced by a patient suffering from obstructive jaundice is due to:
- a) the lack of emulsification of lipids.
b) the low pH in the intestine not supporting optimal activity of enzymes.
c) the acceleration of intestinal peristalsis reducing the retention time for food.
d) the diffusion of bile pigments in blood suppressing secretion of digestive juices.
- 46) A number is said to be a triangular number if it is the sum of consecutive numbers beginning with 1. Which one of the following is **not** a triangular number
- a) 1431 b) 190 c) 506 d) 28
- 47) The equivalent weight of MnSO_4 is half its molecular weight when it is converted to
- a) Mn_2O_3 b) MnO_2 c) MnO_4^- d) MnO_4^{2-}

JS 530

- 48) A light source of diameter 2 cm is placed 20 cm behind a circular opaque disc of diameter 4 cm. Shadow is formed on a screen at a distance of 80 cm. The ratio of the area of umbra and penumbra shadow regions is equal to.

- a) 0.22 b) 0.18
c) 0.58 d) 0.11



- 49) Consider the following two statements.

Statement 1: The direction of acceleration of a particle must be always same as that of velocity.

Statement 2: Acceleration is the rate of change of velocity.



Choose the correct option

- a) Statement (1) is correct while statement (2) is wrong
b) Statement (1) and (2) are correct
c) Statement (1) is wrong while statement (2) is correct
d) Statement (1) and (2) are wrong.

- 50) Rust is a mixture of

- a) $\text{FeO} + \text{Fe(OH)}_2$ b) $\text{FeO} + \text{Fe(OH)}_3$
c) $\text{Fe}_2\text{O}_3 + \text{Fe(OH)}_3$ d) $\text{Fe}_3\text{O}_4 + \text{Fe(OH)}_3$

- 51) If the distance between A and B is 230 km, B and C is 120 km, C and A is 350 km. Also, if the distance between C and D is 200 km, distance between D and B is 330 km and distance from A to E is 100 km and distance between D and E is 570 km. The diagram (not drawn to scale) that represents this graphically is



- 52) Which of the following contains the same number of atoms as 13.5 grams of aluminum?
a) 10 g of sodium b) 10 g of magnesium c) 20 g of potassium d) 20 g of calcium

JS 530

- 53) Consider the following two statements. Statement 1 is an assertion of a concept while Statement 2 is the reason.


Statement (1): When red light travels from air to water, for observer in water it appears to be still red.

Statement (2): Colour of light is associated with frequency and frequency does not change, when it travels in different medium.

Choose the correct option

- Statement (1) is correct while statement (2) is wrong
- Statement (1) and (2) are correct
- Statement (1) is wrong while statement (2) is correct
- Statement (1) and (2) are wrong.

- 54) A spring of spring constant 7600 Nm^{-1} is attached to a block of mass 0.25 kg as shown in figure. Frequency of oscillation on frictionless surface is



- (a) 27.76 Hz (b) 39.26 Hz (c) 9681.5 Hz (d) 98.39 Hz

- 55) The following data was recorded for the reaction $A + B \rightarrow \text{Product}$ at 298K.

Experiment No.	[A]	[B]	Rate of reaction
1	1.00M	0.15M	4.20×10^{-3}
2	2.00M	0.15M	8.40×10^{-3}
3	1.00M	0.30M	8.40×10^{-3}

From the above data one can conclude that

a) Rate $\propto [A]^2[B]$

b) Rate $\propto [A][B]^2$

c) Rate $\propto [A][B]$

d) Rate $\propto [A]^2[B]^2$

- 56) The sum of 2 digits x and y is divisible by 7. What can one say about a 3 digit number formed by these two digits.

a) xyx is divisible by 7

b) xxy is divisible by 7

c) xyx is divisible by 7^2

d) yyx is divisible by 7

- 57) Most of the microbes employed in commercial fermentation for producing antibodies are:

a) thread bacteria.

b) yeasts.

c) eubacteria.

d) ascomycete fungi.

- 58) Most of the cellular RNA is synthesised and stored respectively in:

a) cytoplasm and ribosomes.

b) ribosomes and cytoplasm.

c) nucleus and ribosomes.

d) ribosomes and nucleus.

- 59) A number of bacteria are placed in a glass. 1 second later each bacterium divides in three, the next second each of the resulting bacteria divides in three again, and so on. After one minute the glass is full. When was $1/9^{\text{th}}$ of the glass full?

a) 15 sec

b) 58 sec

c) 45 sec

d) 38 sec

JS 530

60) A number x is a rational number if there exist integers p and q such that $x = p/q$. This is the definition of rational numbers in which,

- a) both p & q can be zero
 b) both p & q should not be zero
 c) p can be zero but not q
 d) q can be zero but not p

61) There is a solution of 1 Litre HCl of pH 5. When 9 L of water is added to this solution, the pH turns out to be

- a) pH 5 itself
 b) pH 10
 c) pH 4
 d) pH 6

62) A wave is sent along a string by oscillating at one end. If the tension in the string is increased then speed of the wave and wavelength of the wave

- a) both increase
 b) speed increases, wavelength decreases
 c) both decrease
 d) wavelength increases, speed decreases

63) Clock A based on oscillations of spring and clock B is based on pendulum motion. Both the clocks keep the same time on earth. If they are taken to a planet having half the density of earth and twice the radius

- a) then A runs faster than B.
 b) B runs faster than A.
 c) both will run at same rate as earth
 d) both will run at equal faster rate than earth.

64) Assuming ideal gas behavior, which among the following gases will have the least density under room temperature and pressure.

- a) Nitrogen
 b) Oxygen
 c) Ozone
 d) Fluorine

65) The least positive integer, n , such that 2 divides n , 3 divides n , 4 divides n , 5 divides n and 6 divides n is

- a) 52
 b) 120
 c) 720
 d) 62

66) Which of the following places having same number of species is considered most biodiverse?

- a) species belonging to more taxa.
 b) many of the species endemic.
 c) many of the species economically important.
 d) species adapted to greater number of habitats.

67) Axolotl, the Mexican Salamander, shows 'neoteny' or larva becoming sexually mature (adult). Which of the following characters indicate larval features in it?


- i. Naked skin
 ii. External gills
 iii. Lidless eyes
 iv. Laterally compressed tail
 v. Clawless digits

- a) i, ii, iii, iv and v.
 b) only i, ii, iv and v
 c) only ii, iii, iv and v.
 d) only ii and iv.

JS 530


- 68) The solution set of the inequality — is
- a) Set of all positive real numbers b) set of all non-negative real numbers
c) set of all real numbers except -1 d) Set of all numbers satisfying
- 69) Which among the following organic compounds is likely to have more than one possible structure?
- a) CH₄ b) C₃H₈ c) C₂H₄ d) C₃H₆

- 70) In the circuit B₁, B₂, and B₃ represent identical bulbs. Consider the case
- (i) With resistance R₄ (ii) without the resistance R₄
(R₄ comparable with resistance of bulb)




- a) B₁, B₂ and B₃ glow with equal brightness in both cases.
- b) B₁ brightest in (i) and in (ii) B₂ and B₃ become brighter and B₁ dimmer compared to case (i).
- c) B₂B₃ brightest in case (i) and B₁ becomes brighter in (ii).
- d) B₁ brightest in (i) and B₂ becomes brighter in comparison to B₃ in (ii).

- 71) Three identical resistors each of resistance R are connected in the following four configurations. Rank the arrangement in the order of their equivalent resistors from highest to lowest.



- a) i,ii,iii & iv b) iv,iii,ii & i
c) i,iii,iv & ii d) ii,iv,iii & i

- 72) Given below are the structures of the famous molecules called Aspirin and Paracetamol. Which among the listed functional groups do the two molecules put together **NOT** contain?



- a) Ketone b) Ester c) Alcohol d) Carboxylic acid

JS 530

73) Number plate of a vehicle consists of 4 digits. The first digit is the square of second. The third digit is thrice the second and the fourth digit is twice the second. The sum of all 4 digits is thrice the first. The number is

- a) 1132 b) 4264 c) 9396 d) 1642

74) The pteridophytic character that is considered to have led to the evolution of gymnosperms is:

- a) homosporous. b) heterosporous.
c) furcate venation. d) sporophylls distinct from vegetative leaves.

75) Seeds trapped in crevices of rocks soak in water, swell and cause fragmentation of rock. The process involved is termed:

- a) imbibition. b) osmosis. c) Tyndall effect. d) water potential.

76) If the highest common factor of a , b and c is 1, where a , b and c belong to the set of natural numbers, then the highest common factor of $(a \times b)$ and c is

- a) c b) $a \times b$ c) 1 d) Insufficient data

77) If a firecracker burns with emission of red colour light, which cation is it likely to contain?


- a) Sodium b) Copper c) Iron d) Lithium

78) A positively charged insulator is brought in contact with an uncharged conductor then

- a) conductor acquires positive charge due to conduction
b) conductor acquires negative charge due to induction
c) conductor acquires positive charge due to induction
d) conductor cannot acquire any charge.

79) Two infinite wires carrying identical current are placed at position A and C normal to plane of the paper as shown in the adjacent figure. The resultant magnetic field (B) at a point P on the perpendicular bisector is

- a) Along perpendicular bisector pointing towards line AC
b) Along Line joining PC and pointing towards C
c) Along line joining PA and pointing towards A
d) Along line parallel to AC and pointing towards right



80) When an incandescent bulb is switched on and the outer glass bulb also gets heated up. This is due to

- a) Conduction and convection of heat from filament to the bulb by the medium inside the bulb at lower temperatures and by radiation of heat at higher temperature
b) Convection of heat from filament to the bulb by the medium inside the bulb at all temperatures
c) Radiation of heat from filament to the bulb at all temperatures
d) Conduction of heat from filament to the bulb by the medium inside the bulb at higher temperatures and by radiation of heat at lower temperature